Sku 033793, 033794, 037880, 037881, 037882 039006 644129, 644131, 04133, 648079

# 058807

# SAFETY DATA SHEET **Profender Topical Solution**

Revision Date 05/26/2015

122000001666 PROP-CIES

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information PROFENDER S.O. CAT 5X4X0,35 ML

Product Name: Synonyms: SDS Number:

Profender Topical Solution TGKKT-2106-0-1 122000001666

Use

Version 2.0

: veterinary medicine

#### Company

Bayer HealthCare, LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES OF AMERICA (800) 633-3796

In case of emergency: (800) 422-9874 Chemtrec: (800) 424-9300 BAYER INFORMATION PHONE: (800) 633-3796 INTERNATIONAL:(703) 527-3887

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

WARNING! Combustible Liquid Colour: colourless Form: liquid Odour: weak. May cause skin irritation. May cause eye irritation.

#### **GHS Classification:**

Eye irritation : Category 2 Specific target organ toxicity - repeated exposure

: Category 2

**GHS Label element:** 

Hazard pictograms



Signal word

: Warning

SAFETY DATA SHEET	122000001666
Profender Topical Solu	ution
Version 2.0	Revision Date 05/26/2015
Hazard statements	: H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure.
Precautionary statements	<ul> <li>Prevention: P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. Response: P314 Get medical advice/ attention if you feel unwell. P337 + P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage.</li> </ul>

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percent 60 - 100%	Components Tradesecret	CAS-No.	NOT HÈ
7.94%	Praziquantel	55268-74-1	
1 - 5%	Tradesecret		
1.984%	Emodepside (Bay 44-4400)	155030-63-0	

#### **4. FIRST AID MEASURES**

į

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

### **5. FIREFIGHTING MEASURES**

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

**Specific hazards during firefighting:** Fire may cause evolution of: Carbon monoxide (CO) Carbon dioxide (CO2)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Use adequate ventilation.

**Methods for cleaning up:** Suppress (knock down) gases/vapours/mists with a water spray jet. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Place in closed containers. Label for proper disposal.

Additional advice: No special precautions required.

 Further Accidental
 No special precautions required.

 Release Notes
 Image: Contract of the second se

#### 7. HANDLING AND STORAGE

#### Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

#### Storage:

Storage temperature: < 77 °F (< 25 °C) Do not freeze.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Lactic acid (50-21-5)

Emodepside (Bay 44-4400) (155030-63-0)

# SAFETY DATA SHEET **Profender Topical Solution** Version 2.0

### **Respiratory protection:**

Recommended Filter type: Organic vapor with prefilter

None required for consumer use of this product.

### Hand protection:

Chemically resistant gloves. None required for consumer use of this product.

## Eye protection:

Safety glasses

None required for consumer use of this product.

#### Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid	
Colour:	colourless	
Odour:	weak	
Odour Threshold:	No applicable information is available	
Melting point:	No applicable information is available	
Boiling point/boiling range:	ca. 190 °C	
Density:	1.081 g/cm³ at 68 °F (20 °C)	DIN 51757
Bulk density:	No applicable information is available	
Vapour pressure:	No applicable information is available	
Viscosity, dynamic:	No applicable information is available	
Viscosity, kinematic:	No applicable information is available	
Flow time:	No applicable information is available	
Surface tension:	No applicable information is available	
Miscibility with water:	in all proportions at 68 °F (20 °C)	
Water solubility:	No applicable information is available	
pH:	No applicable information is available	;
Relative density:	No applicable information is available	
Partition coefficient:	No applicable information is available	
Solubility(ies):	No applicable information is available	
Flash point:	176 °F (80 °C)	
Flammability (solid, gas):	No applicable information is available	:
Ignition temperature:	No applicable information is available	
Explosion limits:	No applicable information is available	F

SAFETY DATA SHEET		}	122000001666
<b>Profender Topical Solution</b>		ε •	
Version 2.0	Revision Date 05/26/2015		

ŝ

#### **10. STABILITY AND REACTIVITY**

**Conditions to avoid:** Do not allow product to come in contact with: Heat

Materials to avoid: Oxidizing agents

Hazardous reactions: No data available

Thermal decomposition:

No data available

Hazardous decomposition products: Carbon monoxide (CO), Carbon dioxide (CO2)

#### **Oxidizing properties:**

No statements available.

Impact sensitivity: No data available

#### **11. TOXICOLOGICAL INFORMATION**

#### Other information on toxicity:

Praziquantel

Ingestion of large quantities: Dizziness, Dizziness, Difficulty in breathing, Convulsions, Tiredness

#### Acute oral toxicity:

Acute toxicity estimate (ATE) > 2,000 mg/kg May be harmful if swallowed. Method: Calculation method Calculated for GHS Classification and Labelling. **Acute dermal toxicity:** Acute toxicity estimate (ATE) > 2,000 mg/kg May be harmful in contact with skin. Method: Calculation method Calculated for GHS Classification and Labelling. **Skin irritation:** Emodepside (Bay 44-4400)

Rabbit Result: No skin irritation Method: OECD 404

## Eye irritation:

Praziquantel Result: Mild eye irritation

# SAFETY DATA SHEET **Profender Topical Solution** Version 2.0

1

Emodepside (Bay 44-4400) Rabbit Result: No eye irritation Method: OECD 405

#### Sensitisation:

Emodepside (Bay 44-4400) guinea pig Result: Does not cause skin sensitisation. Method: OECD 406

#### Subacute, subchronic and prolonged toxicity:

Emodepside (Bay 44-4400) , Lowest observed effect level 4.2 mg/kg 50 ppm, Rat male Oral, Exposure time 4 weeks Method: OECD 407

, Lowest observed effect level 5 mg/kg 50 ppm, Rat female Oral, Exposure time 4 weeks Method: OECD 407

NOEL 5 mg/kg, Lowest observed effect level 10 mg/kg , Dog Oral, Exposure time 4 weeks Method: OECD 407

NOEL 0.735 mg/kg 10 ppm, Lowest observed effect level 4.04 mg/kg 50 ppm, Rat male Oral, Exposure time 13 Weeks Method: OECD 408

NOEL 1.11 mg/kg 10 ppm, Lowest observed effect level 6.04 mg/kg 50 ppm, Rat female Oral, Exposure time 13 Weeks Method: OECD 408

NOEL 10.5 mg/kg 50 ppm, Lowest observed effect level 51.5 mg/kg 250 ppm, Mouse male Oral, Exposure time 13 Weeks Method: OECD 408

NOEL 16.8 mg/kg 50 ppm, Lowest observed effect level 79.1 mg/kg 250 ppm, Mouse female Oral, Exposure time 13 Weeks Method: OECD 408

#### Genotoxicity in vitro:

Praziquantel Ames test Result: negative, No evidence of a gene mutagenic effect.

Emodepside (Bay 44-4400) Ames test Salmonella typhimurium Result: negative Method: OECD 471

V79-HPRT Forward Mutation Assay (Hamster V79-cells) Result: negative Method: OECD 476

Version 2.0

Chromosome aberration test in vitro (Hamster V79-cells) Result: negative Method: OECD 473

## Genotoxicity in vivo:

Emodepside (Bay 44-4400) Micronucleus test, Mouse, Intraperitoneal Result: negative Method: OECD 474

#### Carcinogenicity:

Praziquantel Result: Animal testing did not show any carcinogenic effects.

Emodepside (Bay 44-4400) Experimental Data are currently not available.

## Reproductive toxicity:

Praziquantel Result: Animal testing did not show any effects on fertility.

Emodepside (Bay 44-4400) Result: Impairment of fertility in animal studies at doses which are harmful to the parent animals.

# Teratogenicity:

# Praziquantel

Result: Did not show teratogenic effects in animal experiments.

#### Emodepside (Bay 44-4400)

Result: Showed a toxic effect on the fetus in animal studies at doses which are harmful to the parent animals.

#### Pharmaceutic effects:

Praziquantel Anthelmintics

Emodepside (Bay 44-4400) Antiparasitic agent

#### Carcinogenicity:

STOT - single exposure: No data available

# STOT - repeated exposure: <u>Components:</u>

#### 155030-63-0 :

# Exposure routes: Ingestion

Target Organs: Pancreas, Liver, Kidney, Glucose Metabolism, Central nervous system Assessment: Causes damage to organs through prolonged or repeated exposure.

Version 2.0

## General advice:

Do not allow to enter surface waters or groundwater.

## Toxicity to fish:

Praziquantel Acute Fish toxicity: LC50 17 mg/l Duration of test: 24 h

Emodepside (Bay 44-4400) LC0 > 0.01 mg/l No mortality in the water-soluble range.

# Toxicity to daphnia and other aquatic invertebrates:

Praziquantel EC0 35 mg/l

EC100 100 mg/l

Emodepside (Bay 44-4400) EC50 0.0021 mg/l Test species: Daphnia magna (Water flea) Duration of test: 48 h

#### Toxicity to algae:

Praziquantel Cell multiplication inhibition test EbC50 140 mg/l tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 77 mg/l tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 25 mg/l tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOErC 25 mg/l tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Emodepside (Bay 44-4400) EC0 0.01 mg/l

No mortality in the water-soluble range.

#### Toxicity to bacteria:

Praziquantel EC50 > 1,000 mg/l Duration of test: 3 h

Emodepside (Bay 44-4400) EC50 > 10,000 mg/l tested on: adapted and activated sludge micro-organism

## Toxicity on soil-dwelling organisms

Emodepside (Bay 44-4400)LC50 > 1,000 mg/kg Duration of test: 14 d

122000001666

# SAFETY DATA SHEET Profender Topical Solution

Version 2.0

Revision Date 05/26/2015

**Biodegradability:** Praziquantel 0 %, Not readily biodegradable.

Emodepside (Bay 44-4400) Not rapidly biodegradable

### **13. DISPOSAL CONSIDERATIONS**

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

#### **14. TRANSPORT INFORMATION**

Land transport (CFR) non-regulated

US Sea transport (IMDG) non-regulated

US Air transport (ICAO / IATA cargo aircraft only) non-regulated

US Air transport (ICAO / IATA passenger and cargo aircraft) non-regulated

International IATA UN Number Description of the goods	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EMODEPSIDE)
Class	9
Packaging group	
Dangerous goods labels	9
Environmentally hazardous	ves
<u>International IMDG</u> UN Number Description of the goods	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EMODEPSIDE)
Class	9
Packaging group	
IMDG-Labels	9
EmS Number	F-A

Marine pollutant	yes			
. REGULATORY INFO	RMATION		·	
Other regulations: I US. Toxic Substanc		This product	is excluded from TSCA re (B)(vi) when used for FDA	
US. EPA Emergenc 302 Extremely Haza Components None				CRA) SARA Title III Section
SARA Section 311/3 Categories	312 Hazard	Exempt from	SARA Section 311/312	*
			ght-To-Know Act (EPC otification Required	RA) SARA Title III Sectio
313 Toxic Chemical Components	is (40 CFR 372.65)	- Supplier N	otification Required	RA) SARA Title III Sectio
313 Toxic Chemical Components None US. EPA CERCLA H	is (40 CFR 372.65)	- Supplier N	otification Required	RA) SARA Title III Sectio
313 Toxic Chemical Components None US. EPA CERCLA H None California Prop. 65 Weight percent	is (40 CFR 372.65)	- Supplier N nces (40 CFF	otification Required	RA) SARA Title III Sectio
313 Toxic Chemical Components None US. EPA CERCLA H None California Prop. 65 Weight percent	azardous Substar lazardous Substar components -tert-Butyl-4-methoxy	- Supplier N nces (40 CFF	otification Required R 302) Components CAS-No.	RA) SARA Title III Sectio

ļ.

Health	1	
Flammability	2	
Reactivity	0	
Other	0	

.

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Version 2.0

Revision Date 05/26/2015

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.